


12" 15" LED Round Ceiling Panel Light

Generation



Features:

- Light weight.
- 5CCT Adjustable
- Night light optional.
- High Brightness with efficient LEDs and stable driver- Easy and safety installation
- 120V, Smooth, Uniform Dimmable : 10%-100% dimming range, compatible with most household triac LED dimmers for smooth and flicker-free operation.



Perfect LED Mounting

Uniform Light Distribution

Black dots and shadow on the light, un-uniform lighting, which are the headache in the LED panel field.

The LED Light Strip



SMT technology, ensuring accurate positions for LEDs on PCB
Good quality diffuser plate
Stable design for the whole structure
Above ensures uniform lighting, no black dots and shadow.


Select Light
Color with
Integrated Switch



Light Details :



Easy Installation :



Compatible with the most junction boxes
One For All, All For one



Application :




12"

Dimensions




Light Distribution



15"



Light Distribution



Specifications:

Model	RCLR12-5CT	RCLR15-5CT	RCLR12-6CT	RCLR15-6CT
Power	22W	28W	22W+Night light	28W+Night light
CCT	2700/3000/3500/4000/5000K	2700/3000/3500/4000/5000K	2700/3000/3500/4000/5000K+NL	2700/3000/3500/4000/5000K+NL
Brightness	1500 LM	2000 LM	1500 LM	2000 LM
LED Type	SMD2835	SMD2835	SMD2835	SMD2835
Voltage	120VAC	120VAC	120VAC	120VAC
Power Factor	≥0.9	≥0.9	≥0.9	≥0.9
RA	≥80	≥80	≥80	≥80
Dimension	φ12"x 1"	φ15"x 1 "	φ12"x 1"	φ15"x 1 "
Dimmable	Yes / Triac	Yes / Triac	Yes / Triac	Yes / Triac